

INDEX MAPS.

T. 7 N. R. 9 E. 2nd Mer.

	75	75	75	74	74	74	
	76	76	76	76	76	77	
79	6	100	5	100	4	91	3
	90	2	86	1	73		
79	7	99	8	94	9	89	10
	86	11	85	12	73		
78	18	98	17	93	16	87	15
	84	14	84	13	73		
78	19	97	20	93	21	88	22
	83	23	81	24	72		
77	30	96	29	92	28	87	27
	82	26	80	25	72		
77	31	95	32	91	33	87	34
	81	35	80	36	71		
	70	69	70	70	71	71	

T. 8 N. R. 9 E. 2nd Mer.

	110	109	109	109	108	108	
	134	133	131	130	120	119	117
112	6	134	5	131	4	130	3
	118	2	118	1	107		
112	7	133	8	131	9	125	10
	119	11	117	12	107		
111	18	132	17	125	16	124	15
	118	14	116	13	107		
111	19	128	20	123	21	121	22
	116	23	114	24	106		
110	30	127	29	123	28	121	27
	115	26	113	25	106		
110	31	126	32	122	33	120	34
	114	35	112	36	105		
	104	104	103	103	103	103	

The figures on the lines refer to the page.

Township N: 8 North, Range N: 9 East 2: Mer. Ind.^a 103
ch. 1/4

South Boundary.

Random line — Course S 89 1/2° W.

West On S. boundary of Sec. 36

9.55 a Brook 5th wide Cr. N 80° W.

28.35 Same 5 " " , runs with the line crossing
[at times]

40.00 Let temp. q^r. Sec. post

40.30 leave the above brook runs S 70° W

49.70 a Brook 4th wide Cr. S.

54.97 a do 4 " " S.

80.00 Let temp. Cor. to Sec. 35 & 36

Land waving, timber Beech, Poplar, Sugar
Oak, Hickory &c.

West On S. boundary of Sec. 35

10.00 a Brook 4th wide Course S. W.

32.75 a do 4 " " N.

40.00 Let temp. q^r. Sec. post

50.20 a Brook 4th wide Course S. W.

67.00 a Creek 80th " S. W.

80.00 Let temp. Cor. to Sec. 34 & 35

Land timber &c. same as on the last mile

West On S. boundary of Sec. 34

5.75 a Creek 80th wide Cr. S. W.

29.00 Same 80 " " S. W.

39.10 a brook 6 " " S.

40.00 Let temp. q^r. Sec. post

69.00 a brook 4th wide Course S.

80.00 Let temp. Cor. to Sec. 33 & 34

Land hilly Beech, Oak, Poplar, Sugar &c.

West On S. boundary of Sec. 33

2.85 a brook 6th wide Cr. S.

40.00 Let temp. q^r. Sec. post

41.44 a brook 6th wide Cr. S. W.

80.00 Let temp. Cor. to Sec. 32 & 33

T 8 N R 9 E. 2nd Mer. Ind.^a
 ch^{lks} Sand level, Beech, Sugar, Oak, Poplar &c.

West On S. boundary of Sec. 32

4.70 at Brook 8 lks. wide Corner S. W.

18.90 a do. 15 " " " S.

40.00 Let temp^y q^r. Sec. post

80.00 Let temp^y Cor. to Sec. 31 & 32

Sand flat timber Beech, Oak, Poplar Gum &c.

West On S. boundary of Sec 31

40.00 Let temp^y q^r. Sec. post, brook 6 lks. wide cor. S. W.

76.14 Let 130 lks. S. of Town Corner.

Sand timber &c. same as on last mile

True Line

East On S. boundary of Sec. 31

17.44 a 1 lks. Oak 16 in. dia^r.

36.14 a Beech 15 in. dia^r. q^r. Sec. post, from which
 a S. Gum 22 in. dia^r. bran N 75 W 10 lks. dist

54.04 a Beech 10 " "

76.14 Let post Cor. to Sec. 31 & 32, from which
 a Beech 15 in. dia^r. bran S 77 E 9 lks. dist
 a do. 16 " " " N 49 W 11 " "

East On S. boundary of Sec. 32

40.00 Let q^r. Sec. post, from which

a Beech 15 in. dia^r. bran S 36 W 4 lks. dist

a do. 11 " " " N 46 E 18 " "

79.40 a Beech 30 " "

80.00 Let post Cor. to Sec. 32 & 33, from which

a Beech 10 in. dia^r. bran N 61 E 14 lks. dist

a do 22 " " " S 62 W 26 " "

East On S. boundary of Sec 33

40.00 Let q^r. Sec. post, from which

a Beech 10 in. dia^r. bran N 53 E 18 lks. dist

Set N 9 E. 2nd Mer. Ind. 105⁻
ch. 1/4

a Sugar 7 mi. dist. by S 6 1/2 E 4 1/4 km. dist.
60.00 at Beech 24 " " " " " " " " " " " "
80.00 at post Cor. to Sec. 33 & 34, from which
a Poplar 40 mi. dist. by N 37 1/2 E 22 1/4 km. dist. &
a Beech 10 " " " " S 37 E 16 " "

East On S. boundary of Sec. 34
40.00 at gr. Sec. post, from which
a Sugar 9 mi. dist. by N 84 1/2 E 24 1/4 km. dist. &
a Beech 20 " " " " N 61 1/2 E 17 " "
80.00 at post Cor. to Sec. 34 & 35 from which
a Beech 15 mi. dist. by N 20 E 18 1/4 km. dist. &
a Do. 18 " " " " S 33 1/2 E 7 1/8 " "

East On S. boundary of Sec. 35
40.00 at gr. Sec. post, from which
a Beech 24 mi. dist. by N 53 E 12 1/4 km. dist. &
a Do. 11 " " " " S 76 1/2 E 24 " "
80.00 at post Cor. to Sec. 35 & 36, from which
a Poplar 42 mi. dist. by N 34 E 3 1/4 km. dist. &
a Hickory 13 " " " " S 34 1/2 E 10 " "

East On S. boundary of Sec. 36
40.00 at gr. Sec. post, from which
a Sugar 12 mi. dist. by S 34 E 17 1/4 km. dist. &
a B. Oak 10 " " " " N 36 1/2 E 15 " "
64.95 a Beech 18 " " " " " " " " " "
80.00 Tr. Township Cor. Dec. 3rd 1806

East Boundary wa. 5.30 E.
North On E. boundary of Sec. 36
6.60 a brook 5 km. wide Cr. W.
15.02 at Beech 22 mi. dist.
26.95 a W. Oak 30 " " " " " " " " " "
29.70 a brook 5 km. wide Cr. W.
36.30 a Do. 4 " " " " " " " " " "

S. N. 119 E. 2nd Mer. Indiana

ch. 1/2

- 40.00 Set q. Sec. post, from which
 a Beech 30 in. dia. (bray) N 76° 13' E 34 ft. dist. of
 a do. 22 " " " S 60° E 34 " "
 56.25 at Brook 5 ft. wide E. S. W.
 62.20 a do. 10 " " " W.
 80.00 Set post cor. to Sec. 25 & 36, from which
 a Beech 15 in. dia. (bray) N 64° 11' E 18 ft. dist. of
 a Sugar 13 " " " S 51° E 15 " "
 Sand waving, Beech, Poplar, Sugar Hick, Oak etc.
-

North On E. boundary of Sec. 25

- 3.90 at Brook 20 ft. wide com. se W.
 4.46 a Lycamore 48 in. dia.
 33.20 at Brook 5 ft. wide E. S. W.
 35.29 at Beech 13 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. (bray) N 36° E 12 ft. dist. of
 a do. 13 " " " S 47° W 13 " "
 57.10 at Brook 6 ft. wide E. S. W.
 68.64 a Sugar 15 in. dia.
 80.00 Set post cor. to Sec. 24 & 25, from which
 a Maple 14 in. dia. (bray) N 66° E 30 ft. dist. of
 a Beech 7 " " " S 52° W 9 " "
 Sand broken, timber Beech, Sugar, Ash,
 Poplar, Oak etc.
-

North On E. boundary of Sec. 24

- 2.00 at Brook 4 ft. wide E. S. W.
 16.43 at Beech 17 in. dia.
 23.60 at Brook 30 ft. wide E. S. W.
 29.40 a do. 8 " " " S. E.
 40.00 Set q. Sec. post, from which
 a Beech 14 in. dia. (bray) N 77° 23' E 23 ft. dist. of
 a do. 20 " " " S 26° W 33 " "
 45.85 at Beech 16 " "
 51.53 at Sugar 16 " "

107
T8 N R9 E. 2^d Mer. Indiana

Ch. 1st 1/2

61.50 a Brook 30 lns. wide Cr. W.

80.00 Let post Cor. to Sec. 13 of 24 from which
a Beech 10 in. dia. bay N 11 E 11 lns. dist. of
a Sugar 9 " " " 14 W 9 " "
Land waving Beech, Sugar, Oak &c

North On E. boundary of Sec 13

16.72 a Poplar 30 in. dia.

37.45 a Brook 4 lns. wide Cr. S. W.

40.00 Let of. Sec. post, from which
a Beech 11 in. dia. bay S 8 E 32 lns. dist. of
a Do. 13 " " " 14 E 7 " "

53.17 an Elm 16 " "

57.95 a Poplar 40 " "

74.43 a Gum 18 " "

80.00 Let post Cor. to Sec. 12 of 13, from which
a Beech 17 in. dia. bay North 26 lns. dist. of
a Do. 20 " " " 14 W 24 " "
Land level timber Beech, Oak, Hickory
Sugar, Maple &c

North On E. boundary of Sec. 12

20.35 a Beech 22 in. dia.

40.00 Let of. Sec. post, from which
a Beech 16 in. dia. bay N 11 E 20 lns. dist. of
a Do. 9 " " " 14 W 29 " "

49.80 a Beech 30 " "

53.25 a Brook 12 lns. wide Cr. N. W.

68.45 a Sugar 13 in. dia.

80.00 Let post Cor. to Sec. 11 of 12, from which
a Sugar 9 in. dia. bay N 2 E 23 lns. dist. of
a Beech 10 " " " 12 E 3 " "
Land level timber Beech, Sugar, Poplar, Ash,
Oak, &c.

North On E. boundary of Sec. 1

S. N. R. G. T. Mer. Indiana

ch. 2¹/₂ m.

19.30 a Brook 20 lms. wide cr. S. W.

26.46 a Sycamore 42 in. dia.

34.25 a Brook 50 lms. wide cr. S 80° W. line run up it

40.00 Set g. Sec. post in Brook from which

a Sycamore 12 in. dia. - bray N 89° W 52 lms. dist. of

a do. 14 " " " S 6° W 74 " "

43.00 leave the above brook course up it N. W.

75.00 Same brook run S. W.

80.00 Set post Cor. to Township 8 & 9 North,

Range 9 & 10 East, from which

an Elm 24 in. dia. - bray N 19° E 13 lms. dist.

a do. 12 " " " N 60° W 5 " "

Land level greater part bottom, timber Beech
Sugar, Walnut, Sycamore &c.

North Boundary

West On S. boundary of Sec. 36, T. 9 N. R. 9 E.

11.35 a Brook 5 lms. wide cr. S. W.

31.62 a Beech 18 in. dia.

40.00 Set g. Sec. post, from which

a Beech 10 in. dia. - bray N 55° W 24 lms. dist. of

a do. 10 " " " S 15° W 12 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Maple 8 in. dia. - bray N 11° E 6 lms. dist. of

a do. 13 " " " S 40° W 20 " "

Land level timber Beech, Oak, Hickory, Maple &c.

West On S. boundary of Sec. 35, T. 9 N. R. 9 E.

8.22 Intersected Boundary line and set post, from which

a Beech 14 in. dia. - bray N 32° E 9 lms. dist. of

a Maple 20 " " " S 78° E 9 " "

Surveyed Dec. 4th. 1806, by John Brownson, D. S.

40.00 Set g. Sec. post, from which

a Beech 8 in. dia. - bray N 88° E 13 lms. dist. of

a do. 12 " " " S 67° W 12 " "

61.42 a W. Oak 24 " "

T8 N. R9 E. 2.^d Mer. Indiana 109

ch. l. by

80.00 Let post post cor. to Sec. 34 & 35, from which
a B — 15 mi. diam. bray N 75° W 12 mi. dist. of
a B — 24 " " " S 54° E — " "
Sand level, timber Beech, Oak, Sugar maple,
He. undngth, Spruce &c

Nest On S. boundary of Sec. 34, T8 N. R9 E.

0.03 enter fallen timber S. W.

40.00 Let gr. Sec. post, from which
a B — 9 mi. diam. bray N 66° E 20 mi. dist. of
a Sugar 15 " " " S 77° W 20 " "

58.14 at Beech 24 " "

80.00 Let post Cor. to Sec. 33 & 34, from which
a B — 15 mi. diam. bray N 80° E 15 mi. dist. of
a do 8 " " " N 38° W 14 " "
Sand level, Beech, Elm, Gum, Hickory Oak &c.
undngth. Spruce

Nest On S. boundary of Sec. 33, T8 N. R9 E

9.85 at Beech 24 mi. diam.

33.21 a do. 24 " "

40.00 Let gr. Sec. post, from which
a Beech 12 mi. diam. bray N 66° W 18 mi. dist. of
a do. 8 " " " N 80° E 13 " "

80.00 Let post Cor. to Sec. 32 & 33, from which
a Beech 8 mi. diam. bray N 76° E 20 mi. dist. of
a do. 8 " " " N 29° E 27 " "
Rolling land timber Beech, Sugar, Poplar, Spruce &c.

Nest On S. boundary of Sec. 32, T8 N. R9 E

3.00 a Creek 40 mi. wide C. S.

40.00 Let gr. Sec. post, from which
a Beech 6 mi. diam. bray N 45° E 7 mi. dist. of
a do. 5 " " " S 15° W 11 " "

56.37 at Beech 30 " "

59.00 a Creek 100 mi. wide C. S.

T8 N R9 E. 2nd Mer. Indianach² lth

80.00 Set post cor. to Sec. 31 & 32, from which
 a Beech 6 mi. dist. by N 61 E 15 lth. dist. of
 a do. 18 " " " N 43 W 3 " "
 Broken land, Soil good, timber Beech, Ash
 Poplar &c. undergth Spruce, Larch &c.

West On S. boundary of Sec. 31, T8 N. R9 E.

40.00 Set of Sec. post, from which
 a Beech 24 mi. dist. by S 17 W 15 lth. dist. of
 a do. — " " " N 51 W 11 " "

66.10 a Creek 30 lth. wide Crs. S. W.

87.00 Intersected Town Corner

Low level land good Soil, timber Beech, Poplar
 Sugar, Ash &c., undergth Spruce &c.

June 11th 1819

John M^c. Donald, A. S.

West Boundary var. S. 30 E

North On E. boundary of Sec. 36, T8 N. R8 E.

0.96 a Beech 40 mi. dist.

28.65 a do. 13 " "

35.00 a Creek 50 lth. wide Course W.

40.00 Set of Sec. post, from which

a Sugar 40 mi. dist. by N 25 E 24 lth. dist. of
 a Beech 5 " " " S 35 W 13 " "

56.53 a Maple 18 " "

80.00 Set post cor. to Sec. 25 & 36, from which

a Beech 15 mi. dist. by N 82 E 18 lth. dist. of
 a do. 10 " " " S 50 W 25 " "

Land flat, Beech, Maple, Gum Oak &c

North On E. boundary of Sec. 25, T8 N. R8 E.

5.80 a Poplar 38 mi. dist.

13.60 a Beech 16 " "

40.00 Set of Sec. post, from which

a Beech 24 mi. dist. by N 85 E 15 lth. dist. of

11
T8 N. R9 E. 2^d. Mer. Indiana
ch. 1st 1/2

a Beech 11 mi. dist. bray N 77° 11' E 11 1/2 mi. dist. of
a Brook 25 1/2 mi. wide runs S. W.
60.75 a do 20 " " " " N. W.
71.82 a Beech 30 mi. dist.
80.00 Set post Cor. to Sec. 24 & 25, T8 N. R8 E, from which
a Beech 9 mi. dist. bray N 87° 1/2 E 7 1/2 mi. dist. of
a do. 24 " " " " N 59° 11' 39 " "
Land waving good, Beech, Sugar Oak, Poplar &c

North On Co. boundary of Sec. 24, T8 N. R8 E.
10.50 a Brook 6 1/2 mi. wide Course N. 50 1/2 mi. where it
falls into a Brook 20 1/2 mi. wide a short bend
40.00 Set q. Sec. post, from which
a Beech 7 mi. dist. bray S 89° E 37 1/2 mi. dist. of
a do. 15 " " " " S 89° 11' 34 " "
59.37 Intersected boundary line set post, from which
a Beech 9 mi. dist. bray N 67° 11' 9 1/2 mi. dist. of
a do. 8 " " " " S 77° E 19 " "
Land timber &c. Same as on last mile
November 10th. 1806
John Brownson, A.S.

From boundary line
18.63 Set post Cor. to Sec. 13 & 24, from which
a Beech 20 mi. dist. bray N 66° E 28 1/2 mi. dist. of
a do. 10 " " " " S 30° 11' 6 " "

North On Co. boundary of Sec. 13, T8 N. R8 E.
6.00 a Creek 120 1/2 mi. wide Course S. W.
19.65 a Branch 12 " " " " S. E.
40.00 Set q. Sec. post, from which
a Beech 9 mi. dist. bray S 88° 11' 23 1/2 mi. dist. of
a do. 6 " " " " S 75° E 5 " "
80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 14 mi. dist. bray N 65° E 24 1/2 mi. dist. of
a Hickory 9 " " " " S 52° 11' 38 " "
Not land, timber Ash, Elm &c.

T8N R9E. 2nd Mer. Indiana

ch. l. l. l.

North On E. boundary of Sec. 12, T8N, R8E.

18.00 enter fallen timber & brushy

40.00 Set q. Sec. post, from which

a Gum 4 mi. dist. bearing N 35 E 24 l. l. dist. of

a do. 6 " " " " N 25 E 12 " "

49.00 enter timber bearing S. W. of S. E.

80.00 Set post Cor. to Sec. 1 of 12, from which

a Beech 12 mi. dist. bearing S 5 W 15 l. l. dist. of

a do. 18 " " " " N 35 E 31 l. l. dist. of

Low Brushy land

North On E. boundary of Sec. 1, T8N, R8E.

19.85 a Creek 50 l. l. wide Cr. S. W.

40.00 Set q. Sec. post, from which

a Beech 9 mi. dist. bearing S 58 E 7 l. l. dist. of

a do. 7 " " " " S 61 W 13 " "

44.55 at Brook 4 l. l. wide Course S. E.

52.70 at Branch 15 " " " S. W.

55.70 Same 15 " " " S. E.

72.70 Same 15 " " " S. W.

78.85 Set post Cor. to Township 8 of 9 North,

Range 8 of 9 East from which

a Beech 15 mi. dist. bearing N 81 W 14 l. l. dist. of

a do. 9 " " " " N 11 W 17 " "

Broken land, timber Beech, Ash, Poplar

Elm &c. m. d. g. t. Spruce, good soil

June 1819, John McDonald,

Deputy Surveyor

Subdivision

January 23rd 1817.{ var 5.00' on N & S.
" 6.20' on E & W line

North Between Sec. 35 & 36

20.00 a Beech 11 mi. dist.

40.00 Set q. Sec. post, from which

a Beech 12 mi. dist. bearing S 40 E 15 l. l. dist. of

a do. 6 " " " " N 81 W 28 " "

113

T8N R9E 2^d Mer. Indiana

ch. 113

71.00 a Creek 30 lks. wide Course W.
 80.00 Set post Cor. to Sect. 25, 26, 35 & 36, from which
 a Beech 13 in. dia. bears N 45 E 21 lks. dist. &
 a No. 7 " " " S 85 W 24 " "
 Land Broken timber Beech Sugar Poplar Ash &c.
 poor farming Land

East On Random between Sect. 25 & 36,
 76.00 a Brook 10 lks. wide Course S. W.
 79.69 Intersected the E. boundary 119 lks. N. of post
 the first half mile Land and timber same the
 last rolling and good for farming.

West Connected between Sect. 25 & 36
 39.84 Set q. Sec. post. at average dist. from which
 a B. Ash 6 in. dia. bears N 37 E 25 lks. dist. &
 a Hickory 10 " " " S 54 W 6 " "
 79.69 to Section Corner

North Between Sect. 25 & 26
 20.16 a Sugar 15 in. dia.
 28.00 a Creek 100 lks. wide Course S. W.
 40.00 Set q. Sec. post. from which
 a Beech 14 in. dia. bears S 8 E 32 lks. dist. &
 an Elm 16 " " " N 31 E 30 " "
 59.59 a Beech 7 " "
 80.00 Set post Cor. to Sect. 23, 24, 25 & 26, from which
 a Beech 8 in. dia. bears S 2 E 27 lks. dist. &
 a No. 10 " " " N 38 W 21 " "
 Land rolling timber same good farming Land

East On Random between Sect. 24 & 25
 29.00 a Creek 60 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post
 80.42 Intersected the E. boundary 127 lks. N. of post.
 the first half mile good farming Land the last

114

T. N. 129 E. 2nd Mer. Ind^a.Ch. 1st

Broken and poor timber Same

West Corrected between Sect. 24 & 25
 40.21 Set of Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 29 E 16 lbs. dist. 4
 a Do. 12 " " " N 19 W 21 " "
 80.42 To Section Corner

North Between Sect. 23 & 24
 27.19 a Beech 28 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 13 in. dia. bears N 33 W 14 lbs. dist. 4
 a Do. 15 " " " S 50 E 12 " "
 80.00 Set post Cor. to Sect. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bears S 21 W 5 lbs. dist. 4
 a Do. 18 " " " N 27 E 21 " "
 Land and timber Same

East On Boundary between Sect. 13 & 24
 31.00 a Creek 80 lbs. wide Course S.
 40.00 Set temp. of Sec. post
 81.10 Intersected the E. boundary 68 lbs. N. of post.
 Land rolling timber Same middling farming land

West Corrected between Sect. 13 & 24
 41.05 Set of Sec. post, at average dist. from which
 a Beech 10 in. dia. bears N 86 E 14 lbs. dist. 4
 a Do. 10 " " " S 73 W 41 " "
 81.10 To Section Corner

January 25th 1807.

North Between Sect. 34 & 35
 30.56 a Sugar 18 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 5 in. dia. bears S 17 E 20 lbs. dist. 4
 a Do. 10 " " " N 16 E 18 " "

115

T. S. N. R. G. E. 2nd Mer. Indiana

Ch. P. L. H.

63. 00 a Beech 10 in. dia.

81. 00 Set post Cor. to Sect 26, 27, 34 & 35, from which
a Beech 8 in. dia. bears S 54° W 10 lbs. dist. &
attch. 9 " " " N 3 E 14 "
Land a little rolling timber Beech Sugar Poplar
Oak &c. good farming Land.

East On Random between Sect 26 & 35. var. 5° 00' E.

25. 00 a small brook course S. E.

40. 00 Set temp. of. Sec. post

45. 00 a small brook course S. E.

56. 50 a Brook 70 lbs. wide course S.

78. 04 Intersected the N. & S. line 171 lbs. S. of post
the first half mile rather broken timber Beech Sugar
Poplar Ash Walnut Sycamore &c. no undergrowth
good farming Land.

West Corrected between Sect. 26 & 35.

39. 02 Set of. Sec. post, at average dist. from which
a Maple 12 in. dia. bears S 14 E 22 lbs. dist. &
an Elm 18 " " " N 10 E 39 " "

78. 04 To Section Corner

North Between Sect. 26 & 27

21. 90 a Poplar 40 in. dia.

40. 00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 80 E 19 lbs. dist. &
a Do. 8 " " " N 76 W 22 " "

80. 00 Set post Cor. to Sect. 22, 23, 26 & 27, from which
a Beech 16 in. dia. bears S 8 W 19 lbs. dist. &
a Do. 20 " " " N 31 E 11 " "

Land level timber Beech Poplar Maple Gum
Ash &c. rather poor farming Land

East On Random between Sect. 23 & 26

40. 00 Set temp. of. Sec. post

S. N. R. G. E. 2^d. Mer. Indianach. 2th

77.73 Intersected the N. & S. line 90 lks. S. of post.
Land broken timber Beech Sugar Poplar &c. hardly
muddling farming Land

West Corrected between Sect. 23 & 26

38.86 Set of. Sec. post, at average dist. from which
a Beech 7 in. dia. bears S 34 E 4 lks. dist. &
a No. 12 " " " N 32 W 40 " "

77.73 to Section Corner

North Between Sect. 22 & 23

20.06 a Beech 12 in. dia.

20.50 a Small brook course W.

40.00 Set of. Sec. post, from which
a Beech 5 in. dia. bears S 3 W 27 lks. dist. &
a No. 18 " " " N 3 W 17 " "

67.16 a Beech 18 " "

80.00 Set post Co. to Sect. 14, 15, 22, 23, from which
a Beech 15 in. dia. bears N 48 E 26 lks. dist. &
a No. 10 " " " S 62 W 25 " "

Land level timber Oak, Hickory, Gum, Beech, &c.
not much undergrowth poor farming Land

East On Random between Sect. 14 & 23

40.00 Set Temp. of. Sec. post.

77.87 Intersected the N. & S. line 87 lks. S. of post.
Land and timber Same

West Corrected between Sect. 14 & 23

38.93 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 76 E 16 lks. dist. &
a No. 13 " " " N 2 E 22 " "

77.87 to Section Corner

January 24th 1807 var. 4th 30' E.

North Between Sect. 13 & 14

117

T8N R9E. 2^d. Mer. Indiana

ch. l. lky

23.71 a Sugar 10 in. dia.

40.00 Set q. Sec. post. from which
a Beech 7 in. dia. bears S 34 E 5 lks. dist. 4
a No. 15 " " " N 3 E 24 " "

63.50 a Brook 15 lks. wide Course E.

80.00 Set post Cor. to Sect. 13, 14, 11 & 12, from which
a Beech 12 in. dia. bears S 60 E 17 lks. dist. 4
a No. 18 " " " N 24 W 26 " "
the first half mile rolling the last half broken-
timber Sugar Beech Oak Poplar &c. rather poor
farming Land

East On Brand between Sect. 12 & 13

41.00 Set temp. q. Sec. post. var. 4th 00' E.

80.84 Intersected the E. boundary 2.42, lks. N. of post.
Land rolling timber same middling good Land
for farming

West Corrected between Sect. 12 & 13

40.42 Set q. Sec. post, at average dist. from which
a Poplar 30 in. dia. bears N 53 E 4 lks. dist. 4
a Sugar 8 " " " S 4 W 19 " "

80.84 to Section Corner

North Between Sect. 11. & 12

20.40 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears S 46 W 25 lks. dist. 4
a B. Oak 36 " " " N 36 E 33 " "

80.00 Set post Cor. to Sect. 1, 2, 11, & 12, from which
a W. Ash 20 in. dia. bears S 85 E 28 lks. dist. 4
a Beech 12 " " " N 85 W 22 " "
the first half mile level poor the last a little
rolling and good for farming, timber same

East On Brand between Sect. 1 & 12

S. N. R. E. 2^d. Mer. Indiana

ch. 1/2

- 40.00 Set temp. of. Sec. post.
 65.50 a Creek 60 lvs. wide course S.
 80.08 Intersected the E. boundary 32 lvs. N. of post
 Land part level and part rolling timber same
 middling farming Land

West Corrected between Sec. 1 & 12

- 40.04 Set of. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears N 22 E 26 lvs. dist. 4
 a No. 11 " " " West 15 " "
 80.08 to Section Corner

North Between Sec. 1 & 2.

- 20.00 a small brook course E.
 22.29 a Beech 17 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 16 in. dia. bears S 42 E 17 lvs. dist. 4
 a No. 14 " " " N 37 W 21 " "
 62.68 a Beech 8 " "
 73.60 Intersected the N. boundary 1.12. lvs. N. of post.
 Set post corner to Sec. 1 & 2, from which
 a Maple 12 in. dia. bears S 36 W 17 lvs. dist. 4
 a Beech 10 " " " N 78 E 35 " "
 Land level timber Beech Sugar Poplar Hickory Gum
 Oak &c. middling farming Land-

January 25th 1807.

North Between Sec. 14 & 15

- 28.16 a Beech 12 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 14 in. dia. bears S 45 E 23 lvs. dist. 4
 a No. 14 " " " N 30 W 45 " "
 60.76 a Beech 15 " "
 81.00 Set a post Cor. to Sec. 14, 11, 14 & 15, from which
 a Beech 8 in. dia. bears S 9 W 14 lvs. dist. 4
 a No. 15 " " " N 34 E 21 " "

S. N. R. E. I. Mer. Indiana 119

ch. 119

Land level timber Beech Gum Hickory &c. not much undergrowth poor farming Land-

East On Prandon between Sect. 11 & 14

40.00 Set temp. of. Sec. post

77.75 Intersected the N. & S. line 87 lbs. S. of post the first half mile land and timber same the last rolling timber Beech Poplar Sugar Ash &c. middling land for farming-

West Corrected between Sect. 11 & 14

38.87 Set of. Sec. post, at average dist. from which a Beech 10 in. dia. bears N 32 W 5 lbs. dist. & a Sugar 9 " " " S 15 E 28 " "

77.75 to Section Corner

North Between Sect. 10 & 11

20.94 a S. Gum 18 in. dia.

40.00 Set of. Sec. post, from which a Beech 16 in. dia. bears N 75 W 5 lbs. dist. & a Hick. 16 " " " N 85 E 16 " "

63.81 a Beech 9 " "

80.00 Set post Cor. to Sect. 2, 3, 10 & 11, from which a W. Ash 18 in. dia. bears S 17 W 10 lbs. dist. & a Gum 18 " " " N 6 E 17 " "

Land level timber Oak Gum Maple &c. poor farming Land-

East On Prandon between Sect. 2 & 11

40.00 Set temp. of. Sec. post

66.00 a Brook 10 lbs. wide Course S. E.

78.42 Intersected the N. & S. line 135 lbs. S. of post. the first half mile Land and timber same, the last rolling middling good farming Land

West Corrected between Sect. 2 & 11

S 8 N - R 9 E. 2^d. Mer. Indiana

Ch. P. M.

39.21 Set of. Sec. post. at average dist. from which
a Beech 8 in. dia. bears S 82° 11' 9" E 18' 9" dist. 4
a No. 9 " " " N 66° E 18 " "

78.43 to Section Corner

North Between Sect. 2 & 3.

20.84 a Beech 13 in. dia.

28.20 Intersected the boundary line, from which
a Beech 8 in. dia. bears S 18° 11' 13" E 13' 13" dist. 7
a No. 5 " " " N 47° E 41 " "

Land rolling timber Beech, Sugar, Ash, &c. good for
farming Land

West Between Sect. 3 & 10

34.81 a Beech 16 in. dia.

40.00 Set of. Sec. post. from which
an Elm 18 in. dia. bears N 85° E 11' 11" dist. 4
a Beech 20 " " " S 40° 11' 20 " "

43.70 Intersected the boundary line, from which
a Beech 8 in. dia. bears N 48° E 11' 11" dist. 4
a Maple 15 " " " S 2° 11' 16 " "

Land level timber Beech Gum Hickory Oak &c.
middling good farming Land

January 26th 1807.

North Between Sect. 33 & 34

22.66 a Poplar 30 in. dia.

40.00 Set of. Sec. post. from which
a Beech 9 in. dia. bears N 29° E 2' 11" dist. 4
a No. 8 " " " N 67° 11' 14 " "

80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
a Beech 12 in. dia. bears N 41° E 12' 11" dist. 4
a No. 14 " " " S 57° 11' 15 " "

Land level timber Beech, Gum, Oak, Poplar, Hickory &c.
the last half mile very poor farming Land -

121

T8 St. N9 E. 2^d. Mer. Indiana

ch. 1/2

East On Random between Sect. 27 & 34

40.00 Set temp. q. Sec. post.

79.09 Intersected the N. & S. line 21 lbs. N. of post.

Land level timber same poor farming Land

West Corrected between Sect. 27 & 34

39.54 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 17 E 15 lbs. dist. 4
a No. 20 " " " N 57 W 5 " "

79.09 to Section Corner

North Between Sect. 27 & 28

22.83 a Poplar 36 in. dia.

40.00 Set q. Sec post, from which
a Beech 9 in. dia. bears S 75 W 17 lbs. dist. 4
a No. 7 " " " N 69 E 13 " "

62.90 a Beech 9 " "

64.00 a small hook course N. W.

80.00 Set post Cor. to Sect. 21, 22, 27 & 28, from which
a Beech 12 in. dia. bears N 84 E 7 lbs. dist. 4
a No. 11 " " " S 54 W 29 " "

Land level timbe same middling good for
farming Land

East On Random between Sect. 22 & 27

40.00 Set temp. q. Sec. post

79.68 Intersected the N. & S. line 52 lbs. N. of post.

Land and timber same

West Corrected between Sect. 22 & 27

39.84 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 84 E 3 lbs. dist. 4
a No. 8 " " " S 83 W 7 " "

79.68 To Section Corner

North Between Sect. 21 & 22.

St R 9 E 2nd Mer Indiana ch. lth

20.67 a Beech 5 in dia.

40.00 Set q. Sec. post, from which
a Beech 5 in. dia. bears N 89 E 19 lks. dist. &
a Do. 13 " " " S 76 N 36 " "

58.19 a Beech 12 " "

80.00 Set post Cor. to Secs. 15, 16, 21, & 22, from which
a Beech 8 in. dia. bears N 31 W 13 lks. dist. &
a Do. 6 " " " S 46 E 11 " "
Land & timber Same

East On Random between Secs. 15 & 22

40.00 Set temp. q. Sec. post.

79.69 Intersected the N. & S. line 69 lks. N. of post.
Land level timber Same poor farming Land

West Corrected between Secs. 15 & 22

39.84 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears N 2 E 27 lks. dist. &
an Elm 18 " " " S 5 E 19 " "

79.69 to Section Corner.

January 27th 1807.

North Between Secs. 32 & 33

21.67 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which
an Elm 14 in. dia. bears S 15 E 25 lks. dist. &
a Sugar 14 " " " N 48 W 7 " "

45.00 a Brook 10 lks. wide Course S.W.

60.34 a Cherry 14 in. dia.

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 12 in. dia. bears S 77 W 23 lks. dist. &
a S. Gum 10 " " " N 77 E 24 " "

Land a little rolling timber Beech, Sugar, Gum,
Poplar, Elm, Maple &c. not much undergrowth
middling farming Land

S. N. R. G. E. 2^d Mer. Indiana

123

At 1/2

East On Prandom between Sect. 28 & 33.

40.00 Set g. Sec. post, temporarily

79.90 Intersected the N. & S. line 10 lbs. N of post
Land and timber same

West Corrected between Sect. 28 & 33

39.95 Set g. Sec. post, at average dist. from which
a Beech 6 in. dia. bears S 31 E 14 lbs. dist. 4.

a No. 9 " " " N 18 W 29 " "

79.90 To Section Corner

North Between Sect. 28 & 29

26.35 a Beech 9 in. dia.

37.00 a Brook 10 lbs. wide Course S. W.

40.00 Set g. Sec. post, from which

a Beech 11 in. dia. bears S 21 E 28 lbs. dist. 4

a No. 9 " " " N 13 W 32 " "

63.22 a Beech 9 " "

80.00 Set post Cor. to Sect. 20, 21, 28, & 29, from which

a Beech 12 in. dia. bears N 75 W 13 lbs. dist. 4

a No. 7 " " " N 78 E 17 " "

Land and timber same

East On Prandom between Sect. 21 & 28.

40.00 Set temp. g. Sec. post.

52.80 a Branch 10 lbs. wide course S. W.

80.60 Intersected the N. & S. line 12 lbs. N. of post

Land and timber same

West Corrected between Sect. 21 & 28

40.30 Set g. Sec. post, at average dist. from which

a Beech 12 in. dia. bears N 54 W 9 lbs. dist. 4

a No. 12 " " " N 87 E 21 " "

80.60 to Section Corner

North Between Sect. 20 & 21.

124 S & N 9 E. 2^d. Mer. Indiana

ch^l l^hy

21.94 a Beech 18 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 10 in. dia. bears S 26 W 10 l^hs. dist. 4
a No. 14 " " " N 59 E 29 " "

62.00 a Creek 20 l^hs. wide Course S. W.

59.22 a Beech 10 in. dia.

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which
a Beech 27 in. dia. bears S 5 E 7 l^hs. dist. 4
a Sugar 9 " " " N 20 W 13 " "
Land and timber same

East On Prandon between Sect. 16 & 21

39.00 a Creek 20 l^hs. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

80.67 Intersected the N. & S. line 8 l^hs. S. of post.
Land rolling timber Beech, Sugar, Poplar, Ash,
&c good farming Land -

West Corrected between Sect. 16 & 21

40.33 Set q^r. Sec. post, at average dist. from which
a W. Ash 5 in. dia. bears S 41 E 18 l^hs. dist. 4
a Beech 20 " " " N 14 W 25 " "

80.67 to Section Corner

January 28th 1807

North Between Sect. 15 & 16.

22.76 a Poplar 18 in. dia.

23.50 a small branch Course S. W.

40.00 Set q^r. Sec. post, from which
a Beech 9 in. dia. bears N 30 E 15 l^hs. dist. 4
a No. 10 " " " N 87 W 31 " "

62.58 a Beech 15 " "

80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which
a Beech 15 in. dia. bears S 20 W 9 l^hs. dist. 4
a No. 15 " " " N 23 E 17 " "
Land a little rolling timber, Beech, Poplar-

125

S. N. R. G. E. 2^d. Mer. Indiana
Ch. 1st 1/4
Gum, Ash, Oak &c. middling farming Land

East On Prandom between Sect. 10 & 15.

40.00 Set temp. M. of. Sec. post.

81.36 Intersected the N. & S. line 70 lbs. N. of post.
Land level timber Same poor farming Land -

West Corrected between Sect. 10 & 15

40.68 Set of. Sec. post. at average dist. from which
a Beech 20 in. dia. bears S 4 E 3 lbs. dist. 8
a W. Ash 7 " " " N 41 E 22 " "

81.36 to Section Corner

North Between Sect. 9 & 10.

40.00 Set of. Sec. post, from which
a Beech 5 in. dia. bears S 86 W. 27 lbs. dist. 4
a W. Oak 18 " " " N 73 E 13 " "

54.14 Intersected the boundary line, from which
a Beech 9 in. dia. bears S 2 W 19 lbs. dist. 4
a Do. 10 " " " N 46 E 25 " "
Land and timber Same -

North Between Sect. 16 & 17.

30.15 a Beech 20 in. dia.

40.00 Set of. Sec. post, from which
an Elm 12 in. dia. bears S 39 E 10 lbs. dist. 4
a Maple 14 " " " N 32 W 24 " "

61.67 a Beech 28 " "

80.00 Set post. Cor. to Sect. 8, 9, 16 & 17, from which
a Beech 36 in. dia. bears N 9 W 13 lbs. dist. 4
a Do. 11 " " " S 18 E 32 " "
the first half mile level the last rolling
timber the same, middling farming Land -

North Between Sect. 8 & 9.

1.35 Intersected the boundary line, from which

126

S N - R 9 E. 2^d Mer. Indianachth

a Beech 10 in. dia. bears S 14 E 13 lks. dist. 4
 a Poplar 20 " " " N 43 E 15 " "

West Between Sect. 8 & 17

2.19 Intersected the boundary line, from which
 a Poplar 30 in. dia. bears East 32 lks. dist. 4
 a Ironwood 4 " " " S 30 W 12 " "

East On Random between Sect. 9 & 16

28.00 a Brook 10 lks. wide course N. W.

32.00 a No. 10 " " " S. W.

40.00 Set temp. q. Sec. post.

80.06 Intersected the N. & S. line 10 lks. N. of post.
 Land and timber same

West Corrected between Sect. 9 & 16.

40.03 Set q. Sec. post, at average dist. from which
 a Beech 6 in. dia. bears N 89 E 20 lks. dist. 4
 a No. 9 " " " N 18 W 20 " "

80.06 to Section Corner

January 29th 1807

North Between Sect. 31 & 32

18.46 Beech 11 in. dia.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bears N 71 W 20 lks. dist. 4

a No. 13 " " " S 88 E 18 " "

58.50 a Creek 50 lks. wide course S. W.

59.63 a Beech 20 in. dia.

80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which
 a Beech 10 in. dia. bears N 79 E 24 lks. dist. 4
 a No. 5 " " " N 65 W 12 " "

Land a little rolling timber the same
 middling good farming land.

East On Random between Sect. 29 & 32.

127

S 8 N R 9 E 2^d Mer. Indiana

ch & lks

21.00 a Creek 30 lks. wide Course S.W.

40.00 Set temp. q. See. post.

78.67 Intersected the N. & S. line 49 lks. N. of post.
Land and timber same as the last. mile
good farming Land -

West Corrected between Sect. 29 & 32

39.38 Set q. See. post, at average dist. from which
a Beech 27 in. dia. bears S 46 W 15 lks. dist. &
a No. 12 " " " N 59 E 17 " "

78.67 to Section Corner

West Between Sect. 30 & 31.

21.48 a Hickory 12 in. dia.

40.00 Set q. See. post, from which

a Beech 12 in. dia. bears N 38 E 23 lks. dist. &

a No. 18 " " " S 50 W 9 " "

56.73 a Beech 5 " "

75.69 Intersected the W. boundary 51 lks. S. of post.

Set post Cor. to Sect. 30 & 31, from which

a S. Gum 27 in. dia. bears N 27 E 11 lks. dist. &

a Beech 9 " " " S 38 E 43 " "

Land level timber same as on the last mile
poor farming Land

North Between Sect. 29 & 30

20.35 a Beech 8 in. dia.

40.00 Set q. See. post, from which

a Maple 18 in. dia. bears S 88 W 23 lks. dist. &

a Beech 7 " " " S 86 E 22 " "

64.06 a No. 10 " "

80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which

a Poplar 5 in. dia. bears S 65 W 17 lks. dist. &

a Beech 8 " " " S 59 E 27 " "

the first half mile Land and timber same
the last half mile level and very poor

St. 129 E. 2nd Mer. Indiana
ch. 1st 1st
And very thick undergrowth

East On Prandom between Sec. 20 & 29

40.00 Set temp. of Sec. post

79.12 Intersected the N. & S. line 64 lks. N. of post.
Land level timber Maple, Beech, Gum,
&c. very thick undergrowth and very poor
farming Land -

West Corrected between Sec. 20 & 29

39.56 Set of Sec. post, at average dist. from which
an Elm 12 in. dia. bears S 74 W 15 lks. dist. &
a Poplar 5 " " " N 55 E 10 " "

79.12 to Section Corner

West Between Sec. 19 & 30

20.11 a S. Gum 7 in. dia.

40.00 Set of Sec. post, from which
a Beech 17 in. dia. bears N 39 E 16 lks. dist. &
a No. 9 " " " S 9 W 31 " "

76.00 Intersected the W. boundary 46 lks. S. of post
Set post Cor. to Sec. 19 & 30, from which
a Beech 10 in. dia. bears S 39 E 5 lks. dist. &
a No. 10 " " " S 87 W 6 " "
Land part level timber Beech, Sugar, Gum,
Oak, Ash, Poplar, &c. poor farming land -

North Between Sec. 19 & 20

20.84 a Beech 8 in. dia.

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bears S 7 E 19 lks. dist. &
a No. 24 " " " N 13 W 23 " "

50.00 a Creek 50 lks. wide Course N. W.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 5 in. dia. bears S 27 E 33 lks. dist. &
a Sugar 12 " " " N 18 W 33 " "

Ch. 1st

the first half mile level the last rolling
timber same poor farming Land

North Between Sect. 17 & 18.

29.03 Intersected the boundary line, from which
a Beech 11 in. dia. bears S 60 E 24 lks. dist. &
a Do. 7 " " " N 89 W 9 "
Land rolling timber same as last mile. Land
muddling for farming

West Between Sect. 18 & 19

21 22 a Sugar 36 in. dia.

40.00 Set of. Sec. post, from which
a Gum 15 in. dia. bears S 57 E 22 lks. dist. &
a Beech 17 " " " N 14 W 27 "

45.06 Intersected the boundary line (in a creek 100 lks.
wide Course S. W.) from which
a B. Oak 20 in. dia. bears S 79 E 67 lks. dist. &
a Poplar 18 " " " S 32 W 55 "
Land rolling timber same as last mile
muddling farming Land

East On Random between Sect. 17 & 20

40.00 Set temp. of. Sec. post.

78.55 Intersected the N. & S. line 24 lks. N. of post.
Land part level and part rolling timber same
muddling farming Land

West Corrected between Sect. 17 & 20

39.27 Set of. Sec. post at average dist. from which
a S. Gum 9 in. dia. bears N 14 W 14 lks. dist. &
a Beech 7 " " " S 31 W 37 " "

78.55 to Section Corner

Surveyed in 1877 by
James Gibson,
Deputy Surveyor

Comp

S. N. 19 E. 2^d. Mer. Indiana
ch. 14th

In the New Purchase

North Between Sect. 2 & 3

11.80 Set of. Sec. post, from which
 a Beech 10 in. dia. bears N 21 E 11 lbs. dist. 4
 a Hickory 12 " " " S 33 E 13 " "

24.10 a Beech 20 " "

49.60 Intersected the N. boundary 50 lbs. N. of post.
 Set post Cor. to Sect. 2 & 3, from which
 a Hickory 12 in. dia. bears N 10 W 11 lbs. dist. 4
 a Beech 20 " " " S 50 E 31 " "
 flat wet Land Beech Hickory Maple &c.

North Between Sect. 9 & 10

15.40 a Beech 16 in. dia.

25.86 Set post Cor. to Sect. 3, 4, 9 & 10, from which
 a Beech 30 in. dia. bears S 37 W 22 lbs. dist. 4
 a No. 6 " " " N 10 E 3 " "
 Broken 3rd rate Land Beech Oak Hickory &c.
 undergrowth Dogwood-

East Between Sect. 3 & 10

37.50 Intersected Old boundary at the Corner
 Land timber same as last mine

North Between Sect. 3 & 4

20.86 a Beech 20 in. dia.

40.00 Set of. Sec. post, from which
 a Beech 15 in. dia. bears N 48 W 5 lbs. dist. 4
 a No. 8 " " " S 48 W 23 " "

56.05 a W. Oak 20 " "

77.07 Intersected the N. boundary 69 lbs. west of post.
 Set post Cor. to Sect. 3 & 4, from which
 a Beech 10 in. dia. bears N 62 E 26 lbs. dist. 4
 a No. 8 " " " S 46 W 14 " "
 flat wet land Beech Hickory Maple &c.

S. N. R. G. E. D. Mer. Indiana

131

Ch. L. H.

North Between Sec. 8 & 9

28.55 a Beech 18 in. dia.

38.65 Set of Sec. post, from which

a Beech 10 in. dia. bears N 48 E 14 lbs. dist. 4

a No. 12 " " " S 70 W 14 " "

61.40 a W. Oak 18 " "

78.65 Set post Cor. to Sec. 4, 5, 9 & 8, from which

a Beech 20 in. dia. bears N 38 E 5 lbs. dist. 4

a Sugar 10 " " " S 37 W 28 " "

Land 3^d rate broken Beech Land undergrowth -
Dogwood Beech &c.

East On Prandon between Sec. 4 & 9.

40.00 Set temp. of Sec. post

81.62 Intersected the N. & S. line 2.25 lbs. S. of post
broken 3^d rate Land Beech Oak Poplar Hickory &c.
undergrowth Dogwood Spruce &c.

West Corrected between Sec. 4 & 9

40.31 Set of Sec. post, at average dist. from which

a B. Oak 36 in. dia. bears S 64 E 16 lbs. dist. 4

a Beech 8 " " " N 4 W 15 " "

80.62 to Section Corner

North Between Sec. 4 & 5

10.00 Enter fallen timber

34.00 leave the fallen timber

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bears S 64 W 21 lbs. dist. 4

a No. 24 " " " S 54 E 5 " "

61.00 a Sugar 18 " "

79.50 Intersected the North boundary 100 lbs. N. of post.

Set post Cor. to Sec. 4 & 5, from which

a Beech 10 in. dia. bears N 46 E 31 lbs. dist. 4

a No. 4 " " " S 35 W 23 " "

Hilly 3^d rate Land Beech, Oak, Hickory, Sugar.

Dogwood and Beech Undergrowth

West Between Sect. 18 & 19

20. 38 a Beech 10 in. dia.

31. 74 Intersected the W. boundary 135 lks. N. of post
 Set post Cor. to Sect. 18 & 19, from which
 a Beech 4 in. dia. bears S 80 W 19 lks. dist. &
 a Dogwood 5 " " " S 36 E 22 "
 Hilly 3^d. rate land Beech Oak Hickory &c.
 undergrowth Dogwood &c.

North Between Sect. 17 & 18

10. 97 Set q. Sec. post, from which
 a Hickory 6 in. dia. bears S 72 E 10 lks. dist. &
 a Beech 24 " " " North 12 " "

31. 87 a W. Oak 36 " "

50. 97 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 10 in. dia. bears S 23 E 6 lks. dist. &
 a No. 6 " " " N 63 W 6 "
 Broken 3^d. rate land Beech, Oak, Hickory, Gum,
 undergrowth Spice

East On Prandom between Sect. 8 & 17.

40. 00 Set temp. q. Sec. post

77. 30 Intersected the old boundary line 75 lks. S. of post
 Broken 3^d. rate Land. Timber same or last
 mile undergrowth Spice &c.

West Corrected between Sect. 8 & 17.

39. 74 Set q. Sec. post, at average dist. from which
 a Beech 30 in. dia. bears N 72 W 18 lks. dist. &
 a No. 5 " " " S 88 E 20 " "

77. 30 to Section Corner

West Between Sect. 7 & 18

15. 50 Cropped Sand Creek 75 lks. wide Course S. 70 W.

133

S. N. R. G. E. 2^d. Mer. Indiana

Ch. 16/17

- 27.00 a W. Ash 18 in. dia.
 40.00 Set qf. Sec. post. from which
 a Beech 30 in. dia. bears West 21 lbs. dist. 4
 a No. 6 " " " S 5 E 12 " "
 58.40 a Beech 16 " "
 77.10 Intersected the W. boundary 165 lbs. N. of post.
 Set post Cor. to Sec. 7 & 18, from which
 a Beech 6 in. dia. bears S 35 W 7 lbs. dist. 4
 a Hickory 8 " " " N 44 E 29 " "
 Broken 3rd rate Land Beech Oak Hickory &c.
 undergrowth Spice Dogwood &c.
-

North Between Sec. 7 & 8.

- 7.50 Cropped Sand Creek Course S. W.
 25.56 a Sugar 18 in. dia.
 40.00 Set qf. Sec. post. from which
 a Beech 18 in. dia. bears N 78 W 5 lbs. dist. 4
 a No. 24 " " " S 62 E 18 " "
 57.45 ad. Gum 24 " "
 65.00 Enter fallen timber
 80.00 Set post in a brier thicket no bearing trees given
 first half mile broken 2nd rate - last half mile
 flat wet Land - timber Beech, Sugar, Ash, Poplar,
 undergrowth Spice Dogwood &c.
-

East On Random between Sec. 5 & 8

- 40.00 Set temp. qf. Sec. post
 59.75 Cropped Sand Creek 100 lbs. wide Course S. W.
 62.00 leave the fallen timber
 79.62 Intersected the N. & S. line 85 lbs. S. of post.
 broken 3rd rate land very bushy -
-

West Corrected between Sec. 5 & 8.

- 17.62 to Sand Creek
 39.81 Set qf. Sec. post. at average dist. in a thicket
 no bearing trees

134

T8 St. R9 E. 2^d. Mer Indiana

ch. l. h.

79.62 to Section Corner

West Between Sect. 6 & 7

40.00 Set of. Sec. post. in fallen timber no bearing trees

59.20 leave the fallen timber

63.81 a Beech 24 in. dia.

78.32 Intersected the W. boundary 147 l. h. N. of post.

Set post Cor. to Sect. 6 & 7, from which

a Beech 10 in. dia. bears S 57° 11' 31" l. h. dist. 4

a Maple 20 " " " S 14° E 15 " "

flat wet Land very bushy

North Between Sect. 5 & 6

38.50 left fallen timber

40.00 Set of. Sec. post, from which

55.01 a Beech 12 in. dia. bears N 45° 11' 8" l. h. dist. 4

a Hickory 12 " " " S 8° 11' 26" " "

57.30 a Beech 16 " "

79.77 Intersected the N. boundary 100 l. h. W. of post.

Set post Cor. to Sect. 5 & 6, from which

a Beech 6 in. dia. bears N 74° E 10 l. h. dist. 4

a Gum 14 " " " S 44° 11' 15 " "

level & wet Land 3^d rate Beech Gum Hickory
maple &c. undergrowth Beech Spice &c.November 27th 1819.

Surveyed By

Rathuel F. Morris,

Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes
of Township No. 8 North, Range No. 9 East 2^d Mer.
Indiana, has been compared with the original
notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 26th 1842

William Johnston
Sur. Genl.